



**OBERON<sup>®</sup>FR**

**2011 | CATALOG**

FR Dailywear Supplement

LIT#: FRCAT-2011

## Letter from the President



Oberon is excited to announce its new **OBERON<sup>®</sup>FR** line!!

This new line of flame resistant dailywear from Oberon offers solutions for the greater industrial marketplace, not just the NFPA 70E Arc Flash solutions where Oberon is famous.

**OBERON<sup>®</sup>FR** line consists of an expanded number of garment models . . . shirts, pants, cargos . . . underwear, t-shirts and knit Henley's . . . as well as more coverall choices and shop coats.

**OBERON<sup>®</sup>FR** line consists of an expanded number of fabrics from a simple & economical FRT Cotton and FRT Cotton/Nylon blend . . . to the industry leading flash fire fabric, Dupont<sup>®</sup> Nomex<sup>®</sup> IIIA. Oberon also has its own line of proprietary fabrics, including its FR Denim. In between, it includes the crowd pleasers like the Dupont Protera<sup>®</sup>, Tencate Tecasafe<sup>®</sup> Plus (TSP) and GlenGuard<sup>®</sup> flame resistant fabrics. There are more choices with a full spectrum of features and benefits that set each of them apart from the other. One size does not fit all. There is a solution for your needs and hazards. If you have questions as to which are the best for your needs and application, give us a call. One of our technical support team will be happy to answer your questions!!

**OBERON<sup>®</sup>FR** IS STILL MADE IN MASSACHUSETTS!!!

**OBERON<sup>®</sup>FR** has not sourced the manufacturing offshore. Oberon delivers quality products made with highly skilled workers here in Massachusetts. Just as in Oberon's molding operation, Oberon has just completed a major upgrade of its manufacturing technology, investing in state-of-the-art equipment. We are proud of our workers, we are proud of our factory. You will see that reflected in the clothing you wear!!

**OBERON<sup>®</sup>FR** is the source for your FR dailywear work clothing. As the authorities are increasingly focused upon clothing worn in the industrial market, they are looking for applications and sites where there is the potential for not just arc flash, but other sources of ignition, including flammable dust and vapors. Any of these sources could ignite standard industrial uniforms or street clothing that are not flame resistant. As I often point out in my presentation, it is often not the hazards of the flammable tasks that cause the greatest injury to the worker. In many cases, the workers' non-FR clothing contributes to the greater portion of the injury. A small spark or low energy arc flash could generate sufficient energy to ignite the non-FR clothing, like nylon jackets, street clothing or cotton-poly uniforms. FR clothing can dramatically improve the likelihood of the worker not only surviving, but thriving. Instead of days and weeks in a hospital burn ward, the worker may be home for dinner and return to work within days! The right choice of FR PPE will reduce the percentage of body burned and increase the chances of survival. That is the upside of an FR Dailywear program.

Talk to Oberon and our network of reselling partners across North America. Together, we can make the workplace a safer place for your workers!! Look to **OBERON<sup>®</sup>FR** for the answers you seek!!

Be safe!!

*Randy*

Randell Bouton Hirschmann  
President  
Oberon Company div Paramount Corp  
RBH@oberoncompany.com

Oberon Company div Paramount Corp

Toll Free: 800-322-3348 (USA & Canada) (International: +1-508-999-4442)

## Table of Contents

FR Shirt	Page 4 - 6	FR Underwear	Page 16
FR Pants	Page 7 - 9	Related Products	Page 17
FR Coveralls	Page 10 - 13	Build Part #	Page 18
FR Coats	Page 14 - 15	Sizing Charts	Page 19

Fabric Brand	Fiber Content	IFR vs. FRT	Weight	Arc Rating	Standards
SSM ProC FR <sup>®</sup> 4 oz	100% FR Treated Cotton Knit		4.3 oz/yd <sup>2</sup>	5.1 cal/cm <sup>2</sup>	
	100% FR Treated Cotton Knit		6.3 oz/yd <sup>2</sup>	11 cal/cm <sup>2</sup>	
Banox <sup>®</sup> Certified 7 oz	100% FR Treated Cotton		7.8 oz/yd <sup>2</sup>	8.3 cal/cm <sup>2</sup>	
Banox <sup>®</sup> Certified 9 oz	100% FR Treated Cotton		9.6 oz/yd <sup>2</sup>	9.4 cal/cm <sup>2</sup>	
Banwear <sup>®</sup> 7 oz	FR 88% Cotton, 12% Nylon		7.5 oz/yd <sup>2</sup>	9.6 cal/cm <sup>2</sup>	
Banwear 9 oz	FR 88% Cotton, 12% Nylon		9.5 oz/yd <sup>2</sup>	13 cal/cm <sup>2</sup>	
Dupont <sup>®</sup> Protera <sup>®</sup> 6 oz	65% Modacrylic, 23% Nomex, 10% Kevlar and 2% Antistatic fiber		6.5 oz/yd <sup>2</sup>	8.5 cal/cm <sup>2</sup>	
Dupont Protera 8 oz	65% Modacrylic, 23% Nomex, 10% Kevlar and 2% Antistatic fiber		8.0 oz/yd <sup>2</sup>	12 cal/cm <sup>2</sup>	
Tecasafe <sup>®</sup> Plus 7 oz	48% FR Rayon/ 37% Cellulosic/15% Para-Aramid		7.0 oz/yd <sup>2</sup>	8.4 cal/cm <sup>2</sup>	
Tecasafe <sup>®</sup> Plus 7 oz	45% FR Rayon/ 35% Cellulosic/20% Para-Aramid		7.0 oz/yd <sup>2</sup>	10 cal/cm <sup>2</sup>	
Tecasafe Plus 8 oz	45% FR Rayon/ 35% Cellulosic/20% Para-Aramid		8.5 oz/yd <sup>2</sup>	10 cal/cm <sup>2</sup>	
Oberon White 10 oz	55% Modacrylic, 45% Tencel		10.0 oz/yd <sup>2</sup>	11 cal/cm <sup>2</sup>	
Oberon Denim (Light Duty)	65% Modacrylic, 35% Cotton		9.0 oz/yd <sup>2</sup>	13 cal/cm <sup>2</sup>	
Oberon Denim (Heavy Duty)	65% Modacrylic, 35% Cotton		13.0 oz/yd <sup>2</sup>	24 cal/cm <sup>2</sup>	
Glenguard <sup>®</sup> 6 oz	78% Aramid, 21% Modacrylic, 1% Antistatic Fiber		6.4 oz/yd <sup>2</sup>	10 cal/cm <sup>2</sup>	
Polartec <sup>®</sup> Power Dry <sup>®</sup> FR 8 oz	70% Modacrylic, 15% FR Viscose, 15% Rayon Knit		8.75 oz/yd <sup>2</sup>	8.1 cal/cm <sup>2</sup>	
Dupont Nomex <sup>®</sup> IIIA 4.5 oz	93% Nomex <sup>®</sup> , 5% Kevlar <sup>®</sup> , 2% Carbon		4.5 oz/yd <sup>2</sup>	4.5 cal/cm <sup>2</sup>	
Dupont Nomex IIIA 6 oz	93% Nomex <sup>®</sup> , 5% Kevlar <sup>®</sup> , 2% Carbon		6.0 oz/yd <sup>2</sup>	5.6 cal/cm <sup>2</sup>	

Fabric weight listed is typically the advertised weight. Variations may occur in manufacturing.

Banox & Banwear are registered trademark of ITEX, INC. CORPORATION  
Tecasafe is a registered trademark of Ten Cate Protect B.V  
ProC FR is a registered trademark of SSM Industries, Inc.

Nomex, Protera & Dupont are registered trademarks of E. I. du Pont de Nemours and Company  
Glenguard is a registered trademark of GLEN RAVEN, INC. CORPORATION  
Polartec is a registered trademark of ADS PROPERTIES CORP

Prices, Design and Specifications subject to change without advanced notice. Please reach out to Oberon Customer service, visit us @ [www.oberoncompany.com](http://www.oberoncompany.com) or contact your local authorized Oberon reseller for current information.



## Deluxe FR Work Shirt (STD)

**Garment Design Features:**

- 2 - Chest Patch Pockets
- 2 - Button Down Pocket Flaps
- Button Down Collar
- Generous Shirt Tail
- Button Cuff
- Available:
- Regular Small to 5XL
- Special Order: Short or Tall



Model	Fabric	Color	Oberon Item#	Standards			
<b>Deluxe Shirt</b> <b>Style: STD</b>	<b>CAI Series</b> <small>FR Cotton</small>	Banox Certified 7oz	Navy Blue	STD-CBX7NB	Specify Garment Height: R(egular) S(short), T(all) or Z(XTall) are special order. See sizing chart for details  Specify Garment Size: S(mall) through 5XL See sizing chart for details		
			White	STD-CBX7WH			
			Khaki	STD-CBX7KH			
			Orange	STD-CBX7OR			
		Banwear 7oz	Navy Blue	STD-CBW7NB			
			Khaki	STD-CBW7KH			
			Medium Blue	STD-CBW7MB			
			Orange	STD-CBW7OR			
		Banwear 9oz	Royal Blue	STD-CBW7RB			
			Navy Blue	STD-CBW9NB			
			Khaki	STD-CBW9KH			
			Orange	STD-CBW9OR			
	Banwear 9oz	Royal Blue	STD-CBW9RB				
		Dupont Protera 6oz	Medium Blue	STD-LDP6MB			
			Khaki	STD-LDP6KH			
			Tecasafe Plus 7 oz	Navy Blue		STD-LTS7NB	
	Light Blue			STD-LTS7LB			
	Khaki	STD-LTS7KH					
	Grey	STD-LTS7GR					
	Tecasafe Plus 7 oz	Orange	STD-LTS7OR				
		Oberon White 10 oz	White	STD-LOB0WH			
			Oberon Denim 9 oz	Denim Blue			STD-LOD9DB
				Glenguard 6oz			Navy Blue
	Royal Blue						STD-LGG6RB
	Gold	STD-LGG6GL					
	Dupont Nomex IIIA 4.5oz	Navy Blue	STD-ADX4NB				
		Royal Blue	STD-ADX4RB				
		Orange	STD-ADX4OR				
		Dupont Nomex IIIA 6 oz	Navy Blue	STD-ADX6NB			
	Orange		STD-ADX6OR				
Oberon White 10 oz	White		STD-LOB0WH				
	Oberon Denim 9 oz		Denim Blue		STD-LOD9DB		
		Glenguard 6oz	Navy Blue		STD-LGG6NB		
			Royal Blue		STD-LGG6RB		
Gold			STD-LGG6GL				
Dupont Nomex IIIA 4.5oz	Navy Blue		STD-ADX4NB				
	Royal Blue	STD-ADX4RB					
	Orange	STD-ADX4OR					
	Dupont Nomex IIIA 6 oz	Navy Blue	STD-ADX6NB				
Orange		STD-ADX6OR					

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and XTall) garments.

## FR Henley (THL & THS)



Long Sleeve & Short Sleeve  
Models Available  
Comfortable Knit Materials  
3 Button Down Front  
1 - Left Chest Pocket  
Generous Shirt Tail  
Available in Size Small to 5XL

Garment Design Features:

Model	Fabric	Color	Oberon Item#	Standards
<b>Henley</b> Long Sleeve Style: THL  <small>LCI Series CAT Series Inherent Blends FRT Cotton</small>	SSM ProC FR 6.3 oz	Navy Blue	THL-CSP6NB	
		Orange	THL-CSP6OR	
		Khaki	THL-CSP6KH	
	Polartec FR 8 oz	Navy	THL-LPP8NB	
		Khaki	THL-LPP8KH	
		Specify Garment Height: R(egular)	Specify Garment Size	

Model	Fabric	Color	Oberon Item#	Standards
<b>Henley</b> Short Sleeve Style: THS  <small>LCI Series CAT Series Inherent Blends FRT Cotton</small>	SSM ProC FR 6.3 oz	Navy Blue	THS-CSP6NB	
		Orange	THS-CSP6OR	
		Khaki	THS-CSP6KH	
	Polartec FR 8 oz	Navy	THS-LPP8NB	
		Khaki	THS-LPP8KH	
		Specify Garment Height: R(egular)	Specify Garment Size	

Specify Garment Height: R(egular)

S(hort), T(all) or Z(XTall) are special order. See sizing chart for details

Specify Garment Size: S(mall) through 5XL

See sizing chart for details

### OPTIONS for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details

Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
There is an additional charge on non standard (Shorts, Talls and XTall) garments.



**Flame Retardant Treated (FRT) fabric**, such as cotton, has been treated with a flame retardant chemical – that is, a chemical has been applied to the surface of the fabric so that it becomes resistant to flame. The flame retardant chemical may be washed out if improperly laundered. Also see Inherently Flame Resistant (IFR) on page 6

## FR T-Shirts (TSS & TSL)

Garment Design Features:

Comfortable Knit Materials  
 1 - Left Chest Pocket  
 Generous Shirt Tail  
 Available in Size Small to 5XL



Model	Fabric	Color	Oberon Item#	Standards	
<b>TShirt</b> Long Sleeve Style: TSL	SSM ProC FR 6.3 oz	Navy Blue	TSL-CSP6NB	 	
		Orange	TSL-CSP6OR		
		Khaki	TSL-CSP6KH		
	Polartec FR 8 oz	Navy	TSL-LPP8NB		 
		Khaki	TSL-LPP8KH		

Model	Fabric	Color	Oberon Item#	Standards
<b>TShirt</b> Short Sleeve Style: TSS	SSM ProC FR 6.3 oz	Navy Blue	TSS-CSP6NB	 
		Orange	TSS-CSP6OR	
		Khaki	TSS-CSP6KH	
	Polartec FR 8 oz	Navy	TSS-LPP8NB	
		Khaki	TSS-LPP8KH	

**Specify Garment Height:** R(egular)

S(hort), T(all) or Z(XTall) are special order. See sizing chart for details

**Specify Garment Size:** S(mall) through 5XL

See sizing chart for details

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and XTall) garments.



**Inherently Flame Resistant (IFR) fabric** has a permanent flame resistant quality built right into the fibers in the fabric. The resistance to flame is a fundamental (inherent) characteristic or quality of the fabric. It cannot be removed or washed out.

Also see Flame Retardant Treated (FRT) on page 6

## Deluxe FR Work Pants (PTD)



2 - Besom Pockets on Rear  
 2 - Set in Front Pockets  
 Long Rise for Comfort @ Work  
 5 Belt Loops (2" fits most belts)  
 Available:  
 Waist 28" through 54"

Garment Design Features:

Model	Fabric	Color	Oberon Item#	Standards	
Deluxe Pants Style: PTD	Banox Certified 9oz	Navy Blue	PTD-CBX9NB	Specify Garment Waist: 28" through 54" See sizing chart for details.  Specify Garment Inseam: 26" through 36" 1" Increments. See sizing chart for details.	
		Khaki	PTD-CBX9KH		
		Visual Green	PTD-CBX9GN		
		Orange	PTD-CBX9OR		
	Banwear 9oz	Navy Blue	PTD-CBW9NB		
		Orange	PTD-CBW9OR		
		Royal Blue	PTD-CBW9RB		
		Khaki	PTD-CBW9KH		
	Dupont Protera 8oz	Navy Blue	PTD-LDP8NB		
		Tecasafe Plus 8 oz	PTD-LTS9NB		
	Glenguard 6oz	Navy Blue	PTD-LGG6NB		
		Royal Blue	PTD-LGG6RB		
Dupont Nomex IIIA 6 oz	Navy Blue	PTD-ADX6NB			
	Orange	PTD-ADX6OR			

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Pants with Inseams greater than 36") garments.



**Clear faceshields or clear hood windows** do not offer effective protection against the incident heat energy from an arc flash exposure. As the incident energy increases, the creation of an opaque char on the shield window surface decreases the percentage of transmitted energy, but at these higher exposure levels, there is still more than sufficient heat energy transmitted to cause a predicted second-degree burn injury. **See Oberon's Arc Flash faceshields on Page 17**

(Based upon Test # 03-2555 conducted by Oberon at the Kinectrics Laboratory in February 2003)



## Cargo FR Work Pants (PTC)

**Garment Design Features:**

- 2 - Rear Patch Pockets
- 2 - Set in Front Pockets
- 1 - Leg Side Tool Pocket
- Long Rise for Comfort @ Work
- 5 Belt Loops (2" fits most belts)
- Available:  
Waist 28" through 54"



Model	Fabric	Color	Oberon Item#	Standards	
Cargo Pants Style: PTC	Banox Certified 9oz	Navy Blue	PTC-CBX9NB	Specify Garment Waist: 28" through 54" See sizing chart for details	Specify Garment Inseam: 26" through 36" 1" Increments. See sizing chart for details.
		Khaki	PTC-CBX9KH		
		Visual Green	PTC-CBX9GN		
		Orange	PTC-CBX9OR		
	Banwear 9oz	Navy Blue	PTC-CBW9NB		
		Orange	PTC-CBW9OR		
		Royal Blue	PTC-CBW9RB		
		Khaki	PTC-CBW9KH		
	Dupont Protera 8oz	Navy Blue	PTC-LDP8NB		
		Tecasafe Plus 8 oz	PTC-LTS9NB		
	Glenguard 6oz	Navy Blue	PTC-LGG6NB		
		Royal Blue	PTC-LGG6RB		
Dupont Nomex IIIA 6 oz	Navy Blue	PTC-ADX6NB			
	Orange	PTC-ADX6OR			

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Pants with Inseams greater than 36") garments.



**How do Arc Flash and Flash Fire hazards differ??**

A flash fire is a low intensity fire (~2 calories per second) that can last a prolonged period of time (a couple seconds or longer). An electric arc flash incident lasts a far shorter period of time (typically less than a second) while generating more heat energy (200+ calories per second).



## FR Blue Jeans (PTJ)



2 - Rear Patch Pockets  
 2 - Set in Front Pockets  
 Long Rise for Comfort @ Work  
 5 Belt Loops (2" fits most belts)  
 Available:  
 Waist 28" through 54"

Garment Design Features:

Model		Fabric	Color	Oberon Item#	Standards
Jeans Style: PTJ	CAT Series	Banox Certified 14 oz	Denim Blue	PTJ-CBXCDB	
		Banwear 13 oz	Denim Blue	PTJ-CBWTDB	
	LCI Series Inherent Blends	Oberon Denim 9 oz	Light Duty Denim Blue	PTJ-LOD9DB	
		Oberon Denim 13 oz	Heavy Duty Denim Blue	PTJ-LODTDB	
	ARC Series	Dupont Nomex IIIA 6 oz	Navy Blue	PTJ-ADX6NB	

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Pants with Inseams greater than 36") garments.



### *I Know the Voltage . . . What Arc Suit Should I get???*

Unfortunately . . . that is not sufficient information to select the correct PPE. Knowing the voltage is only one piece to determine Arc Flash PPE. The available fault current, the working distance between the worker and the equipment, the clearing time of the circuit protection device, the spacing between conductors or from a conductor to ground, the number of phases, whether the conductors are in an enclosure, and the equipment configuration are also needed to determining the potential Arc Flash exposure level and the required PPE.

## 7 Pocket FR Coverall (C7Z)

**Garment Design Features:**

- 2 - Chest Patch Pockets
- 2 - Rear Patch Pockets
- 2 - Front In-seam Pockets
- 1 - Tool Pocket on Leg
- Zipper Front Closure
- Available:
- Regular Small to 5XL
- Special Order: Short or Tall



Model	Fabric	Color	Oberon Item#	Standards	
<b>7 Pocket Coverall</b> <b>Style: C7Z</b>	<b>CAT Series</b> <small>FR Cotton</small>	Banox Certified 7oz	Navy Blue	C7Z-CBX7NB	
			White	C7Z-CBX7WH	
			Khaki	C7Z-CBX7KH	
		Orange	C7Z-CBX7OR		
		Banwear 7oz	Navy Blue	C7Z-CBW7NB	
			Khaki	C7Z-CBW7KH	
			Medium Blue	C7Z-CBW7MB	
			Orange	C7Z-CBW7OR	
			Royal Blue	C7Z-CBW7RB	
		Banwear 9oz	Navy Blue	C7Z-CBW9NB	
			Khaki	C7Z-CBW9KH	
			Orange	C7Z-CBW9OR	
	<b>LCI Series</b> <small>Inherent Blends</small>	Dupont Protera 6oz	Medium Blue	C7Z-LDP6MB	
			Khaki	C7Z-LDP6KH	
		Dupont Protera 8oz	Navy Blue	C7Z-LDP8NB	
			Khaki	C7Z-LDP8KH	
		Tecasafe Plus 7 oz	Navy Blue	C7Z-LTS7NB	
			Light Blue	C7Z-LTS7LB	
			Khaki	C7Z-LTS7KH	
			Grey	C7Z-LTS7GR	
	<b>ARC Series</b> <small>Aramid</small>	Dupont Nomex IIIA 4.5oz	Navy Blue	C7Z-ADX4NB	
			Royal Blue	C7Z-ADX4RB	
			Orange	C7Z-ADX4OR	
	Dupont Nomex IIIA 6 oz	Navy Blue	C7Z-ADX6NB		
		Orange	C7Z-ADX6OR		

Specify Garment Height: R(egular) S(hort), T(all) or Z(XTall) are special order. See sizing chart for details

Specify Garment Size: S(mall) through 5XL See sizing chart for details

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and XTall) garments.

## 10 Pocket Hi-Vis FR Coverall (CCN)



- Hi-Vis Reflective Striping  
 Zipper Front Closure  
 Zippered Pant Legs  
 2 - Chest Patch Pockets w/ Flap  
 1 - Nomex Mesh Over-Pocket on Right  
 2 - Rear Patch Pockets  
 2 - Front In-seam Pockets  
 2 - Front Pass-through Pockets  
 1 - Tool Pocket on Leg  
 1 - Chest Radio Loop; 1 - Pencil Pocket  
 Available: Regular Small to 5XL

Garment Design Features:

Model	Fabric	Color	Oberon Item#	Standards			
<b>10 Pocket Hi-Vis Coverall</b> <b>Style: CCN</b>	<b>CAT Series</b> FRI Cotton	Banox Certified 7oz	Navy Blue	CCN-CBX7NB	Specify Garment Height: R(egular) S(hort), T(all) or Z(XTall) are special order. See sizing chart for details	Specify Garment Size: S(mall) through 5XL See sizing chart for details	
			White	CCN-CBX7WH			
			Khaki	CCN-CBX7KH			
			Orange	CCN-CBX7OR			
		Banwear 7oz	Navy Blue	CCN-CBW7NB			
			Khaki	CCN-CBW7KH			
			Medium Blue	CCN-CBW7MB			
			Orange	CCN-CBW7OR			
		Banwear 9oz	Royal Blue	CCN-CBW7RB			
			Navy Blue	CCN-CBW9NB			
			Khaki	CCN-CBW9KH			
			Orange	CCN-CBW9OR			
	<b>LCI Series</b> Inherent Blends	Dupont Protera 6oz	Medium Blue	CCN-LDP6MB	Specify Garment Height: R(egular) S(hort), T(all) or Z(XTall) are special order. See sizing chart for details	Specify Garment Size: S(mall) through 5XL See sizing chart for details	
			Khaki	CCN-LDP6KH			
		Dupont Protera 8oz	Navy Blue	CCN-LDP8NB			
			Navy Blue	CCN-LTS7NB			
		Tecasafe Plus 7 oz	Light Blue	CCN-LTS7LB			
			Khaki	CCN-LTS7KH			
			Grey	CCN-LTS7GR			
			Orange	CCN-LTS7OR			
		Glenguard 6oz	Navy Blue	CCN-LGG6NB			
			Royal Blue	CCN-LGG6RB			
			Gold	CCN-LGG6GL			
		<b>ARC Series</b> Aramid	Dupont Nomex IIIA 4.5oz	Navy Blue			
	Royal Blue			CCN-ADX4RB			
	Orange			CCN-ADX4OR			
	Dupont Nomex IIIA 6 oz	Navy Blue	CCN-ADX6NB				
		Orange	CCN-ADX6OR				

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and XTall) garments.



## Economy FR Coverall (CVE)

**Garment Design Features:**

Simple Coverall Design  
 Zipper Front Closure  
 Velcro Button Cuff  
 Available:  
 Regular Small to 5XL  
 Special Order: Short or Tall



Model	Fabric	Color	Oberon Item#	Standards							
<b>Economy Coverall</b> <b>Style: CVE</b>	<b>CAI Series</b> <small>FR Cotton</small>	Banox Certified 7oz	Navy Blue	CVE-CBX7NB	Specify Garment Height: R(egular) S(short), T(all) or Z(XTall) are special order. See sizing chart for details	Specify Garment Size: S(mall) through 5XL See sizing chart for details					
			White	CVE-CBX7WH							
			Khaki	CVE-CBX7KH							
			Orange	CVE-CBX7OR							
		Banwear 7oz	Navy Blue	CVE-CBW7NB							
			Khaki	CVE-CBW7KH							
			Medium Blue	CVE-CBW7MB							
			Orange	CVE-CBW7OR							
		Banwear 9oz	Royal Blue	CVE-CBW7RB							
			Navy Blue	CVE-CBW9NB							
			Khaki	CVE-CBW9KH							
			Orange	CVE-CBW9OR							
	<b>LCI Series</b> <small>Inherent Blends</small>	Dupont Protera 6oz	Medium Blue	CVE-LDP6MB	Specify Garment Height: R(egular) S(short), T(all) or Z(XTall) are special order. See sizing chart for details	Specify Garment Size: S(mall) through 5XL See sizing chart for details					
			Khaki	CVE-LDP6KH							
		Dupont Protera 8oz	Navy Blue	CVE-LDP8NB							
			Tecasafe Plus 7 oz	Navy Blue				CVE-LTS7NB			
		Glenguard 6oz	Light Blue	CVE-LTS7LB							
			Khaki	CVE-LTS7KH							
			Grey	CVE-LTS7GR							
			Orange	CVE-LTS7OR							
		Oberon Denim 9 oz	Denim Blue	CVE-LOD9DB							
			Oberon Denim 13 oz	Denim Blue				CVE-LODTDB			
		ARC Series <small>Amid</small>	Dupont Nomex IIIA 4.5oz	Navy Blue				CVE-ADX4NB	Specify Garment Height: R(egular) S(short), T(all) or Z(XTall) are special order. See sizing chart for details	Specify Garment Size: S(mall) through 5XL See sizing chart for details	
				Royal Blue				CVE-ADX4RB			
Orange	CVE-ADX4OR										
Dupont Nomex IIIA 6 oz	Navy Blue	CVE-ADX6NB									
	Gold	CVE-LGG6GL									
	Orange	CVE-ADX6OR									

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and XTall) garments.

## Arc Flash (FR) Coverall (CVL)



**Action Back**  
**Zipper: Nomex Zipper Tape**  
**High Temp Zipper Pull**  
**Nomex FR Velcro Front (LCI & ARC)**  
**FR Hook & Loop Front (CAT Series)**  
**FR Knit Cuff for comfortable fit**  
**No Metal Parts**  
**Synch Strap on Pant Leg**  
**Available: Regular Small to 5XL**

Garment Design Features:

Model		Fabric	Color	Oberon Item#	Standards
Arc Flash Coverall Style: CVL	CAT Series FRT Cotton	Banwear 9oz	Navy Blue	CVL-CBW9NB	
			Khaki	CVL-CBW9KH	
			Orange	CVL-CBW9OR	
			Royal Blue	CVL-CBW9RB	
	LCI Series Inherent Blends	Dupont Protera 6oz	Medium Blue	CVL-LDP6MB	
			Khaki	CVL-LDP6KH	
		Dupont Protera 8oz	Navy Blue	CVL-LDP8NB	
			Tecasafe Plus 7 oz	Navy Blue	
		Oberon Denim 9 oz	Denim Blue	CVL-LOD9DB	
			Oberon Denim 13 oz	Denim Blue	
		Glenguard 6oz	Navy Blue	CVL-LGG6NB	
			Royal Blue	CVL-LGG6RB	

**Specify Garment Height:** R (regular)  
S (short), T (tall) or Z (X-Tall) are special order. See sizing chart for details

**Specify Garment Size:** S (small) through 5XL  
 See sizing chart for details

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and X-Tall) garments.



Current standards, including ASTM F496, call for the periodic recertification of electrical insulating gloves. Arc Flash thermal protective clothing are manufactured to comply with ASTM F1506, NFPA 70E & CSA Z462. None of these standards call for a recertifying process of Arc Flash protective clothing, hoods or faceshields.

## 4 Pocket FR Shop Coat (CTS)

**Garment Design Features:**

- Knee Length Shop Coat (appx 42")
  - FR Velcro Front Closure
  - 2 - Chest Pockets
  - 2 - Front Coat Pockets
  - 2 - Inseam Side Pass-through Pockets
- Available:  
Regular Small to 5XL



Model	Fabric	Color	Oberon Item#	Standards	
<b>FR Shop Coat</b> <b>Style: CTS</b>	<b>CAT Series</b> <small>FR Cotton</small>	Banox Certified 7oz	Navy Blue	CTS-CBX7NB	
			White	CTS-CBX7WH	
			Khaki	CTS-CBX7KH	
		Orange	CTS-CBX7OR		
		Banwear 7oz	Navy Blue	CTS-CBW7NB	
			Khaki	CTS-CBW7KH	
			Medium Blue	CTS-CBW7MB	
			Orange	CTS-CBW7OR	
		Banwear 9oz	Royal Blue	CTS-CBW7RB	
			Navy Blue	CTS-CBW9NB	
			Khaki	CTS-CBW9KH	
			Orange	CTS-CBW9OR	
	Banwear 9oz	Royal Blue	CTS-CBW9RB		
		Dupont Protera 6oz	Medium Blue	CTS-LDP6MB	
			Khaki	CTS-LDP6KH	
			Dupont Protera 8oz	Navy Blue	CTS-LDP8NB
	Tecasafe Plus 7 oz			Navy Blue	CTS-LTS7NB
		Light Blue		CTS-LTS7LB	
		Khaki		CTS-LTS7KH	
		Grey	CTS-LTS7GR		
	Orange	CTS-LTS7OR			
	Oberon Denim 9 oz	Denim Blue	CTS-LOD9DB		
		Oberon Denim 13 oz	Denim Blue	CTS-LODTDB	
			Glenguard 6oz	Navy Blue	CTS-LGG6NB
Royal Blue				CTS-LGG6RB	
Gold	CTS-LGG6GL				
Dupont Nomex IIIA 4.5oz	Navy Blue	CTS-ADX4NB			
	Royal Blue	CTS-ADX4RB			
	Orange	CTS-ADX4OR			
	Dupont Nomex IIIA 6 oz	Navy Blue	CTS-ADX6NB		
Orange		CTS-ADX6OR			
<b>LCI Series</b> <small>Inherent Blends</small>	<b>ARC Series</b> <small>Amid</small>	<b>Specify Garment Height: R(egular)</b> S(short), T(all) or Z(XTall) are special order. See sizing chart for details			
		<b>Specify Garment Size: S(mall) through 5XL</b> See sizing chart for details			

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and XTall) garments.



## 4 Pocket FR Lab Coat (CTL)



Full Length Lab Coat (appx 50")  
 FR Velcro Front Closure  
 2 - Chest Pockets  
 2 - Front Coat Pockets  
 2 - Inseam Side Pass-through Pockets

Available:  
 Regular Small to 5XL

Garment Design Features:

Model	Fabric	Color	Oberon Item#	Standards	
FR Lab Coat Style: CTL	CAT Series FRT Cotton	Banox Certified 7oz	Navy Blue	CTL-CBX7NB	
			White	CTL-CBX7WH	
			Khaki	CTL-CBX7KH	
			Orange	CTL-CBX7OR	
		Banwear 7oz	Navy Blue	CTL-CBW7NB	
			Khaki	CTL-CBW7KH	
			Medium Blue	CTL-CBW7MB	
			Orange	CTL-CBW7OR	
		Banwear 9oz	Royal Blue	CTL-CBW7RB	
			Navy Blue	CTL-CBW9NB	
			Khaki	CTL-CBW9KH	
			Orange	CTL-CBW9OR	
	LCI Series Inherent Blends	Dupont Protera 6oz	Royal Blue	CTL-CBW9RB	
			Khaki	CTL-LDP6KH	
		Dupont Protera 8oz	Medium Blue	CTL-LDP6MB	
			Khaki	CTL-LDP6KH	
		Tecasafe Plus 7 oz	Navy Blue	CTL-LDP8NB	
			Navy Blue	CTL-LTS7NB	
			Light Blue	CTL-LTS7LB	
			Khaki	CTL-LTS7KH	
		Oberon Denim 9 oz	Grey	CTL-LTS7GR	
			Orange	CTL-LTS7OR	
			Denim Blue	CTL-LOD9DB	
		Oberon Denim 13 oz	Denim Blue	CTL-LODTDB	
Navy Blue	CTL-LGG6NB				
Glenguard 6oz	Royal Blue	CTL-LGG6RB			
	Gold	CTL-LGG6GL			
	Navy Blue	CTL-ADX4NB			
ARC Series Aramid	Dupont Nomex IIIA 4.5oz	Royal Blue	CTL-ADX4RB		
		Orange	CTL-ADX4OR		
		Navy Blue	CTL-ADX6NB		
	Dupont Nomex IIIA 6 oz	Orange	CTL-ADX6OR		

Specify Garment Height: R(egular)  
 S(hort), T(all) or Z(XTall) are special order. See sizing chart for details

Specify Garment Size: S(mall) through 5XL  
 See sizing chart for details

### OPTIONS for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details  
 Most Oberon garments may be ordered with Hi-Vis/Reflective Stripping. Contact Oberon Sales or Customer Service for details  
 There is an additional charge on non standard (Shorts, Talls and XTall) garments.

## FR Underwear

Garment Design Features:

Comfortable FR Knit Materials  
 Short Sleeve  
 No Pockets  
 Light Weight Underwear for  
 Daily Use  
 Heavier Weight Underwear for  
 Cold Weather Use



Model	Fabric	Color	Oberon Item#	Standards
Underwear Short Sleeve Style: TSU	SSM ProC 4.3 oz	White	TSU-CSP4WH	

Model	Fabric	Color	Oberon Item#	Standards
Thermal Underwear Long Sleeve Style: TST	SSM ProC 6.3 oz	Navy Blue	TST-CSP6NB	 
		Orange	TST-CSP6OR	
		Khaki	TST-CSP6KH	
	Polartec FR 8 oz	Navy Blue	TST-LPP8NB	 
Khaki		TST-LPP8KH		

**Specify Garment Height:** R(egular)

S(hort), T(all) or Z(XTall) are special order. See sizing chart for details

**Specify Garment Size:** S(mall) through 5XL

See sizing chart for details

**OPTIONS**  
for your garment

Most Oberon garments may be embroidered. Contact Oberon Sales or Customer Service for details

Most Oberon garments may be ordered with Hi-Vis/Reflective Striping. Contact Oberon Sales or Customer Service for details

There is an additional charge on non standard (Shorts, Talls and XTall) garments.

## Additional Underwear Items

**LOOK**  
for other great items . .

FR Food Service  
 Hairnets & Beardnets  
 FR Belts (non-conductive)



Woman's Bra & Brief



Men's Sports Brief



Long John's

## Arc Flash Faceshields



21ARC12AF-C+500

21ARC12AF-C+M22



21CAT2-COS

### Face-Fit<sup>®</sup> ArcShield<sup>™</sup>

Superior Polycarbonate Construction  
Available with Deluxe Scratch Resistant  
Coated outer & Antifog Coated inner  
Excellent Visible Light Transmission  
Meets NFPA 70E, CSA Z462,  
ASTM F2178, ANSI Z87.1

### Economy ArcShield

PETG Flat Visor Design  
Excellent Visible Light Transmission  
Meets NFPA 70E, CSA Z462  
ASTM F2178, ANSI Z87.1

Product Design Features:

Model	Oberon Item#	Standards
NFPA 70E & CSA Z462 <b>Arc Flash Faceshields</b>	21ARC4-C+500	HRC1 (4 cal) ArcShield w/ Hard Cap
	21ARC4AF-C+500	Deluxe HRC1 (4 cal) ArcShield w/ Hard Cap
	21ARC4AF-C+M22	Deluxe HRC1 (4 cal) ArcShield w/Cap & Muff
	21ARC8-C+500	HRC2 (8 cal) ArcShield w/ Hard Cap
	21ARC8AF-C+500	Deluxe HRC2 (8 cal) ArcShield w/ Hard Cap
	21ARC8AF-C+M22	Deluxe HRC2 (8 cal) ArcShield w/Cap & Muff
	21ARC12-C+500	HRC2* (12 cal) ArcShield w/ Hard Cap
	21ARC12AF-C+500	Deluxe HRC2* (12 cal) ArcShield w/ Hard Cap
21ARC12AF-C+M22	Deluxe HRC2* (12 cal) ArcShield w/Cap & Muff	
	21CAT2-COS	Economy Flat Visor ArcShield w/ SnapPin Cap (COS)

## Arc Flash (FR) Balaclavas



Comfortable Knit Materials  
Meets ASTM F1506,  
NFPA 70E & CSA Z462  
FRT & IFR Models available

Garment Design Features:

Model	Fabric	Color	Oberon Item#	Standards
Balaclava	SSM ProC FR 6.3 oz	Grey	CAT11-BH-GR	HRC2
Sock Hoods	IFR Knit	Navy Blue	ARC13-BH-NB	HRC2



## How to build a Part Number

**STD - LTS 7 KH- R XL**  
 Model Fabric Weight Color Height Size

- STD Deluxe Shirt (Page 4)
- PTD Deluxe Pants (Page 5)
- PTC Cargo Pants (Page 6)
- PTJ Denim Blue Jeans (Page 7)
- C7Z 7 Pocket Coverall (Page 8)
- CCN 10 Pocket Coverall (Page 9)
- CVL Arc Flash Coverall (Page 10)
- CVE Economy Coverall (Page 11)
- CTS Shop Coat (~42" long) (Page 12)
- CTL Lab Coat (~50" long) (Page 13)
- THL FR Henley (Page 14)
- TSL FR T-Shirt (Page 15)
- TSS FR Underwear (Page 16)
- TSL FR Thermal Underwear (Page 17)

### CAT Series (FR Treated Cotton)

- CBX Banox<sup>®</sup> Certified 100% FR Cotton
- CBW Banwear<sup>®</sup> FR Cotton/Nylon Blend
- CSP SSM ProC FR<sup>®</sup> Cotton Knit

### LCI Series (Inherent Blends)

- LOB Oberon White
- LOD Oberon Denim
- LDP Dupont<sup>®</sup> Protera<sup>®</sup>
- LTS Tecasafe<sup>®</sup> Plus (TSP)
- LGG Glenguard<sup>®</sup>
- LPP Polartec<sup>®</sup> FR Knit

### Arc Series (Aramids)

- ADX Dupont Nomex<sup>®</sup>

- NB Navy Blue
- MB Medium Blue
- RB Royal Blue
- LB Light Blue
- DB Denim Blue
- KH Khaki
- OR Orange
- GR Grey
- WH White
- GL Gold/British Khaki

### Fabric Weights\*

- 3 = 3 oz.
- 4 = 4 oz.
- 5 = 5 oz.
- 6 = 6 oz.
- 7 = 7 oz.
- 8 = 8 oz.
- 9 = 9 oz.
- 0 = 10 oz.
- X = 11 oz.
- D = 12 oz.
- T = 13 oz.
- C = 14 oz.

\* Fabric weight listed is typically the advertised weight. Variations may occur in manufacturing.

Fabric Brand	Fiber Content	IFR vs. FRT	Weight	Arc Rating	Standards
SSM ProC FR <sup>®</sup> 4 oz	100% FR Treated Cotton Knit		4.3 oz/yd <sup>2</sup>	5.1 cal/cm <sup>2</sup>	
SSM ProC FR <sup>®</sup> 6 oz	100% FR Treated Cotton Knit		6.3 oz/yd <sup>2</sup>	11 cal/cm <sup>2</sup>	
Banox <sup>®</sup> Certified 7 oz	100% FR Treated Cotton		7.8 oz/yd <sup>2</sup>	8.3 cal/cm <sup>2</sup>	
Banox <sup>®</sup> Certified 9 oz	100% FR Treated Cotton		9.6 oz/yd <sup>2</sup>	9.4 cal/cm <sup>2</sup>	
Banwear <sup>®</sup> 7 oz	FR 88% Cotton, 12% Nylon		7.5 oz/yd <sup>2</sup>	9.6 cal/cm <sup>2</sup>	
Banwear 9 oz	FR 88% Cotton, 12% Nylon		9.5 oz/yd <sup>2</sup>	13 cal/cm <sup>2</sup>	
Dupont <sup>®</sup> Protera <sup>®</sup> 6 oz	65% Modacrylic, 23% Nomex, 10% Kevlar and 2% Antistatic fiber		6.5 oz/yd <sup>2</sup>	8.5 cal/cm <sup>2</sup>	
Dupont Protera 8 oz	65% Modacrylic, 23% Nomex, 10% Kevlar and 2% Antistatic fiber		8.0 oz/yd <sup>2</sup>	12 cal/cm <sup>2</sup>	
Tecasafe <sup>®</sup> Plus 7 oz	48% FR Rayon/ 37% Cellulosic/15% Para-Aramid		7.0 oz/yd <sup>2</sup>	8.4 cal/cm <sup>2</sup>	
Tecasafe <sup>®</sup> Plus 7 oz	45% FR Rayon/ 35% Cellulosic/20% Para-Aramid		7.0 oz/yd <sup>2</sup>	10 cal/cm <sup>2</sup>	
Tecasafe Plus 8 oz	45% FR Rayon/ 35% Cellulosic/20% Para-Aramid		8.5 oz/yd <sup>2</sup>	10 cal/cm <sup>2</sup>	
Oberon White 10 oz	55% Modacrylic, 45% Tencel		10.0 oz/yd <sup>2</sup>	11 cal/cm <sup>2</sup>	
Oberon Denim (Light Duty)	65% Modacrylic, 35% Cotton		9.0 oz/yd <sup>2</sup>	13 cal/cm <sup>2</sup>	
Oberon Denim (Heavy Duty)	65% Modacrylic, 35% Cotton		13.0 oz/yd <sup>2</sup>	24 cal/cm <sup>2</sup>	
Glenguard <sup>®</sup> 6 oz	78% Aramid, 21% Modacrylic, 1% Antistatic Fiber		6.4 oz/yd <sup>2</sup>	10 cal/cm <sup>2</sup>	
Polartec <sup>®</sup> Power Dry <sup>®</sup> FR 8 oz	70% Modacrylic, 15% FR Viscose, 15% Rayon Knit		8.75 oz/yd <sup>2</sup>	8.1 cal/cm <sup>2</sup>	
Dupont Nomex <sup>®</sup> IIIA 4.5 oz	93% Nomex <sup>®</sup> , 5% Kevlar <sup>®</sup> , 2% Carbon		4.5 oz/yd <sup>2</sup>	4.5 cal/cm <sup>2</sup>	
Dupont Nomex IIIA 6 oz	93% Nomex <sup>®</sup> , 5% Kevlar <sup>®</sup> , 2% Carbon		6.0 oz/yd <sup>2</sup>	5.6 cal/cm <sup>2</sup>	

Banox & Banwear are registered trademarks of ITEX, INC. CORPORATION  
 Tecasafe is a registered trademark of Ten Cate Protect B.V.  
 ProC FR is a registered trademark of SSM Industries, Inc.  
 Nomex, Protera & Dupont are registered trademarks of E. I. du Pont de Nemours and Company  
 Glenguard is a registered trademark of GLEN RAVEN, INC. CORPORATION  
 Polartec is a registered trademark of ADS PROPERTIES CORP.  
 Prices, Design and Specifications subject to change without advanced notice. Please reach out to Oberon Customer service, visit us @ www.oberoncompany.com or contact your local authorized Oberon reseller for current information.

## Oberon Garment Sizing Chart

### TRUTH IN SIZING . . .

Oberon proudly manufactures garments with sizing that conforms with EN-13402



all measurements in inches

		USER BODY MEASURES							
		S	M	L	XL	2XL	3XL	4XL	5XL
CHEST (IN.)		36	39	42	46	50	54	58	62
WAIST (IN.)		30	33	36	40	44	48	52	56

### STANDARD GARMENT MEASURES

		OBERON COVERALL							
		S	M	L	XL	2X	3X	4X	5X
CHEST		46	49	52	56	60	64	68	72
WAIST		36	39	42	46	50	54	58	62

When measuring the waist of coveralls, measure the larger of your waist or belly

**OBERON<sup>®</sup>FR COVERALL ARE DESIGNED TO BE WORN OVER CLOTHING SO INSEAMS ARE SHORTER. If you DO NOT plan to wear the coveralls OVER clothing but over underwear (or the like), typically order one (1) alpha-size smaller**

		OBERON COATS							
		S	M	L	XL	2X	3X	4X	5X
CHEST		46	49	52	56	60	64	68	72

		OBERON BIB-OVERALLS							
		S	M	L	XL	2X	3X	4X	5X
WAIST*		36	39	42	46	50	54	58	62

When measuring the waist of bib-overalls, measure the larger of your waist or belly

		OBERON DAILYWEAR SHIRTS, HENLEYS & T-SHIRTS							
		S	M	L	XL	2X	3X	4X	5X
CHEST		42	45	48	52	56	60	64	68
SLEEVE LENGTH (FROM CB)		32 3/4	33 5/8	34 1/2	35 1/2	36 1/2	37 1/2	38 1/2	29 1/2
NECK CIRCUMFERENCE		16 3/4	17 1/2	18 1/4	19	19 3/4	20 1/2	21 1/4	22

### VERTICAL MEASUREMENTS

Short	from 5'7"	to	5'10"
Regular	from 5'10	to	6'1"
Tall	from 6'1"	to	6'4"
X-Tall	from 6'4"	to	6'7"

SHORT: minus 1" on sleeve and body lengths & minus 2" on inseam length

TALL: plus 1" to sleeve and body lengths & plus 2" to inseam length

**ARM (Sleeve Length):** With arm raised at your side and slightly bent, measure from the back of the neck, over point of shoulder, down the outside of the arm to the wrist.

**CHEST:** measure just under arms and across shoulder blades holding the tape measure firm and level.

**WAIST:** Measure around natural waistline.

**INSEAM:** Measure similar pants that fit well. Measure along seam from crotch to bottom of hem.

**OUTSEAM:** Measure similar pants that fit well. Measure along the seam from top of pants to bottom of hem.

# Other great Oberon products ...

## Face-Fit® Faceshield Series



## Rubber Insulating Tools



## Rubber Insulating Gloves



Class 00, 0, 1 & 2  
Meet ASTM D120

## Arc Flash Suits



Full set of Arc Flash Solutions including:

- HRC2 (8+ calories)
- HRC3 (25+ calories)
- HRC4 (40+ calories)
- ORC5 (65+ calories)
- ORC6 (100+ calories)
- ORC7 (140+ calories)

## Oberon Aluminized Garments



Aluminized  
Radiant Heat  
Hoods &  
Garments

for Steel Mills,  
Investment Casting  
Operations and other  
applications exposed  
to High Radiant  
Heats

Oberon Company div Paramount Corp  
22 Logan St.  
New Bedford, MA 02740

Tel.: 800-322-3348 (Toll Free USA & Canada)  
+1-508-999-4442 (International)  
01 55 5350-1460 (Mexico City)  
Fax: 508-999-4443

Safety@oberoncompany.com  
www.oberoncompany.com

Your Local Distributor